UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/852,408	05/09/2001	Carlos Schuler	53260-US-CNT	5388
1095 NOVARTIS	7590 07/20/200	EXAMINER		
CORPORATE	INTELLECTUAL PRO	PATEL, NIHIR B		
=	ONE HEALTH PLAZA 104/3 EAST HANOVER, NJ 07936-1080		ART UNIT	PAPER NUMBER
			3772	
			MAIL DATE	DELIVERY MODE
			07/20/2009	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)
Office Action Summary		09/852,408	SCHULER ET AL.
		Examiner	Art Unit
		NIHIR PATEL	3772
The MAILING DA Period for Reply	TE of this communication a	ppears on the cover sheet with th	e correspondence address
A SHORTENED STATU WHICHEVER IS LONG - Extensions of time may be avai after SIX (6) MONTHS from the - If NO period for reply is specific - Failure to reply within the set or	ER, FROM THE MAILING lable under the provisions of 37 CFR mailing date of this communication. d above, the maximum statutory periodextended period for reply will, by state later than three months after the mail	LY IS SET TO EXPIRE 3 MONT DATE OF THIS COMMUNICATI 1.136(a). In no event, however, may a reply but d will apply and will expire SIX (6) MONTHS for the cause the application to become ABANDO ling date of this communication, even if timely	ON. The timely filed  Tom the mailing date of this communication.  The property of the communication of the communication.
Status			
2a) ☐ This action is <b>FIN</b> .  3) ☐ Since this application	tion is in condition for allow	April 2009.	
Disposition of Claims			
4a) Of the above of 5) ☐ Claim(s) is, 6) ☑ Claim(s) <u>1-28, 30-</u> 7) ☐ Claim(s) is, 8) ☐ Claim(s) ar	33 and 36 is/are rejected.	rawn from consideration.	
Application Papers			
10) The drawing(s) file  Applicant may not re  Replacement drawin	equest that any objection to thing sheet(s) including the corre	ner. ccepted or b)  objected to by the le drawing(s) be held in abeyance. Section is required if the drawing(s) is Examiner. Note the attached Off	See 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. §	119		
a) All b) Some  1. Certified co  2. Certified co  3. Copies of the application	e* c) None of:  pies of the priority docume  pies of the priority docume  ne certified copies of the pr  from the International Bure	nts have been received in Applic iority documents have been rece	ation No ived in this National Stage
Attachment(s)  1) Notice of References Cited (2) Notice of Draftsperson's Pat 3) Information Disclosure State Paper No(s)/Mail Date	ent Drawing Review (PTO-948)	4)  Interview Summ Paper No(s)/Mai 5)  Notice of Inform 6)  Other:	

Application/Control Number: 09/852,408 Page 2

Art Unit: 3772

#### DETAILED ACTION

## Response to Arguments

1. Applicant's arguments filed on April 30<sup>th</sup>, 2009 have been fully considered but they are not persuasive. The applicant argues that Burns does not disclose a prevention device that prevents manual actual when in an inactive state and permits it only when in an active state, the applicant further goes on to argues that Burns does not meet the claim limitation of only be actuatable when in an active state for example, when power is being supplied to the lockout device. The examiner disagrees with the applicant's argument. The fact that Burns reference recites "...during a dosing period, the controller will sense two actuations and then will lock up and prevent actuation of the inhalation device until a predetermined minimal time has elapsed." implies that the device only actuatable when in an active state (dosing period) and prevents actuation when in an inactive state (non-dosing period). Since the controller is controlling the locking mechanism it is inherent that a power is being supplied to the lock up device (see col. 8 lines 23-31).

#### Response to Amendment

2. The examiner acknowledges the amendment filed on April 30th, 2009. The amendment comprises amending claims 1 and 17; and cancelling claims 29, 34 and 35.

# Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Art Unit: 3772

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

- 4. Claims **1-13**, **15-26**, **28** and **30-33** are rejected under 35 U.S.C. 102(b) as being anticipated by Burns et al. (US 5,284,133).
- 5. As to claim 1, Burns teaches an apparatus that comprises a container 10 (see figure 1; column 7 lines 50-55) adapted to contain a drug formulation; an aerosol generator for aerosolizing the drug formulation in response to manual actuation (see column 7 lines 50-65); and an electromechanical lockout device 24 (see figure 1 and column 8 lines 10-27; see arguments above) having an inactive state which prevents manual activation of the aerosol generator thereby preventing aerosolization of the drug formulation and which has an active state which permits manual actuation of the aerosol generator thereby permitting aerosolization of the drug formulation only when an electric current is being supplied to place the electromechnical lockout device in the active state (since the controller is controlling the locking mechanism it is inherent that a power is being supplied to the lock up device), wherein the inactive state requires no electrical current (see column 8 lines 20-30).
- 6. **As to claim 2,** Burns teaches an apparatus wherein the lockout device comprises a lockout element that is positioned in a dose preventing position when in an inactive state, and is movable to a dosing permitting position when electronic current is supplied to place the lockout device in the activated state (see columns 8 and 9).
- 7. **As to claim 3,** Burns teaches an apparatus wherein the lockout device further comprises circuitry for supplying electrical current to move the lockout element to the dose permitting position when the lockout device is in the activated state (see column 8 lines 55-67).

Art Unit: 3772

8. **As to claim 4,** Burns teaches an apparatus wherein the lockout device further comprises a controller having an associated memory for storing a dosing condition, and wherein the controller is configured to send a signal to place the lockout device in the activated state only after the dosing condition has been satisfied (see column 8 lines 1-30).

- 9. **As to claim 5,** Burns teaches an apparatus wherein the container comprises a canister **10** (see figure 1; column 7 lines 50-55), and wherein the aerosol generator comprises a metering valve **12** and an actuator **28** operably coupled to the canister (see column 7 lines 50-60 and column 9 lines 9-20).
- 10. **As to claim 6,** Burns teaches an apparatus that further comprises a housing, wherein the canister is reciprocally held within at least a portion of the housing between a home position and a dosing position where the actuator is engaged to open the metering valve and to permit the escape of metered amount of the drug formulation from the canister (see column 7 lines 50-60 and column 8 line 10-20).
- 11. **As to claim 7,** Burns teaches an apparatus wherein the lockout device is positioned to prevent engagement of the actuator when in the dose preventing position to thereby prevent opening of the metering valve (see column 10 lines 25-45).
- 12. **As to claim 8,** Burns teaches an apparatus wherein the lockout element has a distal end that is engageable with the canister to prevent substantial displacement of the canister into the housing when the lockout element is in the dose prevention position (see column 10 lines 50-60).
- 13. **As to claim 9,** Burns teaches an apparatus wherein upon placement of the preventing device into the activated state, the distal end of the lockout element is retracted to permit

Art Unit: 3772

displacement of the canister into the housing and to permit engagement of the actuator to open the metering valve (see column 10 lines 50-60).

- 14. **As to claim 10,** Burns teaches an apparatus wherein the canister is movable within the housing when the preventing device in the inactive state, and further comprising a stop that is reciprocally disposed within the housing below the actuator, and wherein the lockout element has a distal end that is engageable with the stop when in the activated state to prevent movement of the stop within the housing such that displacement of the canister engages the actuator with the stop to permit dispensing of the metered drug formulation when the preventing device is in the activated state (see column 9 lines 40-60).
- 15. **As to claim 11,** Burns teaches an apparatus that further comprises a high pressure gas source to assist in aerosolizing the drug formulation when the lockout device is in the activated state (see column 7 lines 50-60).
- 16. **As to claim 12,** Burns teaches an apparatus that further comprising a dose counter disposed to count the number of doses of the drug formulation dispensed from the container (see column 9 lines 40-60).
- 17. **As to claim 13,** Burns teaches an apparatus wherein the container is reciprocatably disposed within the housing, and wherein the dose counter comprises a dose counting circuit positioned to sense when the container has been reciprocated within the housing (see column 9 lines 40-60).
- 18. **As to claim 15,** Burns teaches an apparatus that further comprises a nozzle operably coupled to the canister, and wherein the housing further includes a mouthpiece **14** disposed to receive the drug formulation from the nozzle (see column 7 lines 50-60).

Art Unit: 3772

19. **As to claim 16,** Burns teaches an apparatus wherein the mouthpiece has a first end and a second end, and wherein the nozzle is positionable within an opening adjacent the first end of the mouthpiece to permit the aerosolized drug formulation to be delivered to a patient upon inhalation through the second end of the mouthpiece (see figure 1).

- 20. **As to claim 17,** Burns teaches a method step of providing a drug delivery system comprising a container having an amount of a drug formulation that is aerosolized in response to manual actuation (see column 7 lines 40-60) and an electromechanical lockout device (see response to arguments above); configuring the electromechanical lockout device to provide an inactive state wherein the manual actuation of the container is prevented; and supplying electrical current to the lockout device to place the lockout device in an active state, thereby permitting the manual actuation of the aersolization of the drug formulation only when in the active state (see columns 8 and 9; see response to arguments above).
- 21. **As to claim 18,** Burns teaches a method step wherein the electromechanical lockout device comprises a lockout element 44 that is positioned in a dose preventing position when in the inactive state, and further comprising moving the lockout element to a dosing permitting position when electric current is supplied to place the lockout device in the activated state (see col. 8 lines 23-31).
- As to claim 19, Burns teaches a method step wherein the container comprises a canister having a metering valve and an actuator, wherein the canister is reciprocatably held within a housing between a home position and a dosing position, and further comprising depressing the canister into the housing to the dosing position to engage the actuator and to release a metered

Art Unit: 3772

amount of the drug formulation when the lockout device is in the active state (see col. 7 lines 51-68).

- 23. **As to claim 20,** Burns teaches a method step of preventing engagement of the actuator when the lockout element is in the dose preventing position (see fig. 4A).
- 24. **As to claim 21,** Burns teaches a method step of engaging the canister with the lockout element to prevent movement of the canister to the dispensing position when the lockout element is in the dose preventing position (see fig. 4A).
- 25. **As to claim 22,** Burns teaches a method step of disengaging the lockout element from the canister to permit movement of the canister to the dispensing position upon supply of the electrical current (see fig. 4B).
- 26. **As to claim 23,** Burns teaches a method step of engaging the lockout element with a stop that is positioned below the actuator upon supply of the electrical current, and further comprising depressing the canister into the housing to engage the actuator with the stop (see figs. 4A and 4B).
- 27. **As to claim 24,** Burns teaches a method step of stopping the supply of the electric current to the lockout device after the drug formulation has been aerosolized (see col. 8 lines 23-31).
- 28. **As to claim 25,** Burns teaches a method step of supplying electric current to the lockout device to permit another dosing only after a certain dosing condition has been satisfied (see col. 8 lines 23-31).
- 29. **As to claim 26,** Burns teaches a method step of counting the number doses aerosolized from the container (see col. 8 lines 1-10).

Art Unit: 3772

30. **As to claim 28,** Burns teaches an apparatus that comprises a housing having a mouth piece **14 (see figure 1)**; a canister **10 (see column 7 lines 40-60)** that is movable within the housing when manually depressed **(see column 7 lines 40-60)** into the housing, the canister having a metered valve that is operable to release a metered amount of a drug formulation from the canister **(see column 7 lines 40-60)**; and a control system **24 (see column 8 lines 10-20)** comprising an electromechanical locking mechanism that may be in an active or an inactive state, the control system further comprises a controller **24,** wherein the controller is configured to send a signal to the locking mechanism to activate the locking mechanism to permit opening of the valve once the dosing condition has been satisfied **(see col. 8 lines 10-27)** and wherein the control system controls the opening of the valve such that the valve is only opened when a force is manually applied to depress the canister into the housing and when a dosing condition has been satisfied at which time the locking mechanism in the active state **(see columns 8 and 9)**.

- 31. **As to claim 30,** Burns teaches an apparatus wherein the dosing condition is the passage of certain amount of time between dosings, and further comprising an electronic clock coupled to the controller to measure the passage of time between dosings (see columns 8 and 9).
- 32. **As to claim 31,** Burns teaches an apparatus wherein the locking mechanism is normally in a dose preventing position and is movable to a dosing position when electrical current is supplied to the locking mechanism to permit opening of the valve when the canister is depressed (see column 8).
- 33. **As to claim 32,** Burns teaches an apparatus wherein the locking mechanism includes a locking element that engages the canister to prevent depression of the canister into the housing when in the dose preventing position (see column 8).

Application/Control Number: 09/852,408 Page 9

Art Unit: 3772

34. **As to claim 33,** Burns teaches an apparatus wherein the canister includes an actuator **28** and wherein the locking mechanism includes a locking element that engages a stop that in turn engages the actuator when in the dose permitting position and when the canister is depressed into the housing (see column 7 lines 40-60).

# Claim Rejections - 35 USC § 103

- 35. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 36. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.
  - 3. Resolving the level of ordinary skill in the pertinent art.
  - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 37. Claims **14 and 27** are rejected under 35 U.S.C. 103(a) as being unpatentable over Burns et al. (US 5,284,133) in view of Nilsson et al. (US 4,934,358).
- 38. **As to claim 14,** Burns substantially discloses the claimed invention; see rejection of claims 1 and 13 above, but does not disclose a dose counter that comprises a display for indicating if the container contains an amount of drug formulation. Nilsson teaches an apparatus that does provide a dose counter that comprises a display for indicating if the container contains

Art Unit: 3772

an amount of drug formulation (see column 4 lines 30-50). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Burns's invention by providing a dose counter that comprises a display for indicating if the container contains an amount of drug formulation as taught by Nilsson in order to supply information about the number of doses given.

- 39. Claim **36** is rejected under 35 U.S.C. 103(a) as being unpatentable over Burns et al. (US 5,284,133) in view of Nilsson et al. (US 4,934,358).
- 40. **As to claim 36,** Burns substantially discloses the claimed invention; see rejection of claim 1 above, but does not disclose a drug formulation which comprises nicotine. Nilsson teaches an apparatus that does disclose a drug formulation that comprises nicotine (see column 1 lines 40-50). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Burns's invention by providing a drug formulation which comprises nicotine as taught by Nilsson in order to prevent gastrointestinal secondary effects and facilitating nicotine therapy in antidotal smoking treatment of persons with chewing difficulties.

### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NIHIR PATEL whose telephone number is (571)272-4803. The examiner can normally be reached on 7:30 to 4:30 every other Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patricia Bianco can be reached on (571) 272-4940. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 09/852,408 Page 12

Art Unit: 3772

/Nihir Patel/ Examiner, Art Unit 3772

/Patricia Bianco/ Supervisory Patent Examiner, Art Unit 3772